



**Department of Energy**  
**National Nuclear Security Administration**  
 Washington, DC 20585

August 20, 2007

OFFICE OF THE ADMINISTRATOR

The Honorable A. J. Eggenberger  
 Chairman  
 Defense Nuclear Facilities Safety Board  
 625 Indiana Avenue NW, Suite 700  
 Washington, D.C. 20004-2901

Dear Mr. Chairman:

This letter is to report on progress made in developing a directives system for the National Nuclear Security Administration (NNSA) that will replace the current NNSA policy letter system. In a letter dated November 3, 2006, NNSA provided a path forward and target schedule for implementation of an NNSA Directives System. In that letter, we outlined a directives program that largely paralleled, but was independent of the Departmental Directives Program. We included a schedule with the following milestones:

- Complete draft NNSA directive on the NNSA Directives System – by February 15, 2007.
- Complete review of draft NNSA directive on the NNSA Directives System – by March 15, 2007.
- Approve and issue NNSA directive on the NNSA Directives System, along with project plan for implementing the directive – by June 15, 2007.

Consistent with this schedule, incorporation of an initial round of comments on the draft directive was completed by February 15, 2007. Comment resolution led to some process considerations that took longer to resolve than previously estimated. However, those comments have now been resolved and the revised draft document was circulated for review on July 20, 2007. We also provided the document on July 20, 2007, to Defense Nuclear Facilities Safety Board (DNFSB) staff for comment. The comment review period closes on August 17, 2007. Depending on the number and complexity of the comments received, we expect to resolve the comments within about a month. Following resolution, we will submit the NNSA directive to the Secretary for his consideration.


The key features of the system that were described in the November 3, 2006, letter remain unchanged, although we have made some substantive improvements. We have removed Technical Standards from the NNSA system, because the requirements for Technical Standards are somewhat different than for other directives, and NNSA has no plans to issue Technical Standards outside the DOE Technical Standards program at this



time. We have added a discussion of Supplemental Directives for use in NNSA to better regulate their use. We also included a provision for Supplemental Directives that have NNSA-wide applicability to ensure that they receive the same review by the DNFSB as do other directives.

We look forward to continuing to work with you and your staff as we develop the NNSA Directives System. Please contact me or have your staff contact Mr. Michael C. Kane, Associate Administrator for Management and Administration, at (202) 586-5753, if you have any questions.

Sincerely,

A handwritten signature in black ink that reads "T.P.D. Agostino". The signature is written in a cursive style with a large, stylized initial "T".

Thomas P. D'Agostino  
Administrator

cc:

M. Whitaker, Jr., HS-1.1