

John T. Conway, Chairman
A.J. Eggenberger, Vice Chairman
John W. Crawford, Jr.
Herbert John Cecil Kouts

DEFENSE NUCLEAR FACILITIES SAFETY BOARD

625 Indiana Avenue, NW, Suite 700, Washington, D.C. 20004
(202) 208-6400 • FTS 268-6400



July 6, 1992

The Honorable James D. Watkins
Secretary of Energy
Washington, DC 20585


Dear Mr. Secretary:

On July 1, 1992, the Defense Nuclear Facilities Safety Board, in accordance with 42 U.S.C. § 2286a(5), unanimously approved Recommendation 92-4 which is enclosed for your consideration. Recommendation 92-4 deals with the Multi-Function Waste Tank Facility at the Hanford Site.

42 U.S.C. § 2286d(a) requires the Board, after receipt by you, to promptly make this recommendation available to the public in the Department of Energy's regional public reading rooms. The Board believes the recommendation contains no information which is classified or otherwise restricted. To the extent this recommendation does not include information restricted by DOE under the Atomic Energy Act of 1954, 42 U.S.C. §§ 2161-68, as amended, please arrange to have this recommendation promptly placed on file in your regional public reading rooms.

The Board will publish this recommendation in the Federal Register.

Sincerely,


John T. Conway
Chairman

Enclosure

RECOMMENDATION 92-4 TO THE SECRETARY OF ENERGY
pursuant to 42 U.S.C. § 2286a(5)
Atomic Energy Act of 1954, as amended.

Dated: July 6, 1992

As required by the Atomic Energy Act, the Defense Nuclear Facilities Safety Board (DNFSB), conducts reviews and evaluations of the design of new Department of Energy defense nuclear facilities before and during their construction. Under this statute, the DNFSB is also required to recommend to the Secretary of Energy, within a reasonable time, such modifications of the design as the DNFSB considers necessary to ensure adequate protection of public health and safety.

The Board has performed reviews of the Multi-Function Waste Tank Facility (MWTF) project to be located at the Hanford Site in the State of Washington. The MWTF is an element of the Hanford Tank Waste Remedial System (TWRS) Program which eventually will provide for the ultimate treatment and disposal of the Hanford Site tank waste. We have reviewed information received in the form of briefings and presentations by DOE Headquarters personnel, DOE Richland personnel, Westinghouse Hanford Company personnel, and Kaiser Engineers Hanford personnel as well as analysis of relevant documents. The Board's reviews to date have been concerned with such matters as the application of standards, including DOE orders and directives, and commercial nuclear industry practices as well as other aspects of the project which relate to ensuring adequate protection of the health and safety of the public.

The conceptual design of the MWTF project is now nearing completion. The Board believes that it is appropriate at this time to assure that the design of the MWTF and other new defense nuclear facilities incorporates engineering principles and approaches, detailed engineering criteria, and practices that are essential to ensure adequate protection of public health and safety. These include:


- o The design needs to be appropriately conservative with respect to safety.
- o The design bases (criteria) need to be clearly defined, coherent, and compatible with the facilities' perceived lifetime functions (i.e., Functional Design Criteria) and documented.
- o The design bases and the resulting facility design need to reflect and incorporate the requirements of appropriate standards as that term is used in the Board's enabling statute and thus including DOE orders and directives and commercial nuclear practices, as well as any other factors that may be required for the safe and reliable operation of the facility throughout its entire life.
- o The design, construction, and start-up activities need to be performed by those who will ensure the completed project is of the quality necessary to provide adequate protection of public health and safety.

- o The design effort needs to be organized such that there is continuity through all phases (conceptual design, preliminary design, final design, construction, testing...) so that all aspects of the process that affect safety are clearly delineated and that line responsibility is clear.
- o The DOE organization responsible for the project needs to have technically qualified personnel in numbers sufficient to provide direction and guidance to contractors performing all phases of the effort and to assess the effectiveness of contractor efforts.
- o The project organization and operations need to reflect a clear and effective chain of command with responsibility, authority, and accountability clearly defined and assigned to individuals within the respective project organizations.
- o The functions and responsibilities of all DOE and contractor organizations involved in the project need to be delineated in writing in a single document.

The Board's view of the Hanford MWTF's conceptual design performed to date is that the design does not clearly present and delineate those aspects that ensure that the public health and safety can adequately be protected. In particular, the MWTF appears to be a project 1) without a well-defined mission or functional requirements (e.g., waste treatment or storage), 2) predetermined to consist of four one-million-gallon tanks regardless of their intended uses, and 3) managed without sufficient regard for technical issues and engineering involvement. The continuing phases of the design and construction are about to begin and the Board seeks to be assured that the design of the tanks as they are built incorporates the appropriate levels of nuclear safety. Further, the Board recognizes that many of the nuclear safety concepts and assurances would normally be provided in the series of facility Safety Analysis Reports and would include design bases, safety system analyses, analysis methods and accident analyses. However, to ensure that appropriate nuclear safety characteristics are included in the design efforts, the Board recommends the following to the Secretary of Energy:

1. Establish a plan and methodology that results in a project management organization for the MWTF project team that assures that both DOE and the contractor organization have personnel of the technical and managerial competence to ensure effective project execution. This should emphasize management aspects of the project necessary to ensure adequate protection of public health and safety and should include the integration of professional engineering and quality assurance as necessary into the project, the application of appropriate standards and approved Department of Energy requirements, and the establishment of clear lines of responsibility and accountability.

2. Identify the design bases and engineering principles and approaches for the MWTF project that provide the data and rationale to show that the design for the MWTF conservatively meets the quantitative safety goals described in the Departments' Nuclear Safety Policy (SEN-35-91). The Board believes that this would include items related to standards, identification of safety related items, detailed design bases, functional design criteria, and safety analyses.



John T. Conway, Chairman

**DEFENSE NUCLEAR FACILITIES
SAFETY BOARD**

[Recommendation 92-4]

**Multi-Function Waste Tank Facility at
the Hanford Site**

AGENCY: Defense Nuclear Facilities
Safety Board.

ACTION: Notice; recommendation.

SUMMARY: The Defense Nuclear
Facilities Safety Board (Board) has
made a recommendation to the
Secretary of Energy pursuant to 42
U.S.C. 2286a concerning the Multi-
Function Waste Tank Facility at the
Hanford Site. The Board requests public
comments on this recommendation.

DATES: Comments, data, views, or
arguments concerning this
recommendation are due on or before
August 13, 1992.

ADDRESSES: Send comments, data,
views or arguments concerning this
recommendation to: Defense Nuclear
Facilities Safety Board, 625 Indiana
Avenue, NW., suite 700, Washington,
DC 20004.

FOR FURTHER INFORMATION CONTACT:
Kenneth M. Pusateri or Carole J.
Council, at the address above or
telephone (202) 208-6400.

Dated: July 8, 1992.

John T. Conway,
Chairman.

**Multi-Function Waste Tank Facility at
the Hanford Site.**

Dated: July 8, 1992.

As required by the Atomic Energy
Act, the Defense Nuclear Facilities
Safety Board (DNFSB), conducts
reviews and evaluations of the design of
new Department of Energy defense
nuclear facilities before and during their
construction. Under this statute, the
DNFSB is also required to recommend to
the Secretary of Energy, within a
reasonable time, such modifications of
the design as the DNFSB considers
necessary to ensure adequate protection
of public health and safety.

The Board has performed reviews of
the Multi-Function Waste Tank Facility
(MWTF) project to be located at the
Hanford Site in the State of Washington.
The MWTF is an element of the Hanford
Tank Waste Remedial System (TWRS)

Program which eventually will provide
for the ultimate treatment and disposal
of the Hanford Site tank waste. We have
reviewed information received in the
form of briefings and presentations by
DOE Headquarters personnel, DOE
Richland personnel, Westinghouse
Hanford Company personnel, and
Kaiser Engineers-Hanford personnel as
well as analysis of relevant documents.
The Board's reviews to date have been
concerned with such matters as the
application of standards, including DOE
orders and directives, and commercial
nuclear industry practices as well as
other aspects of the project which relate
to ensuring adequate protection of the
health and safety of the public.

The conceptual design of the MWTF
project is now nearing completion. The
Board believes that it is appropriate at
this time to assure that the design of the
MWTF and other new defense nuclear
facilities incorporates engineering
principles and approaches, detailed
engineering criteria, and practices that
are essential to ensure adequate
protection of public health and safety.
These include:

- The design needs to be
appropriately conservative with respect
to safety.

- The design bases (criteria) need to
be clearly defined, coherent, and
compatible with the facilities' perceived
lifetime functions (i.e., Functional Design
Criteria) and documented.

- The design bases the resulting
facility design need to reflect and
incorporate the requirements of
appropriate standards as that term is
used in the Board's enabling statute and
thus including DOE orders and
directives and commercial nuclear
practices, as well as any other factors
that may be required for the safe and
reliable operation of the facility
throughout its entire life.

- The design, construction, and start-
up activities need to be performed by
those who will ensure the completed
project is of the quality necessary to
provide adequate protection of public
health and safety.

- The design effort needs to be
organized such that there is continuity
through all phases (conceptual design,
preliminary design, final design,
construction, testing) so that all aspects
of the process that affect safety are
clearly delineated and that line
responsibility is clear.

- The DOE organization responsible
for the project needs to have technically
qualified personnel in numbers
sufficient to provide direction and
guidance to contractors performing all

phases of the effort and to assess the effectiveness of contractor efforts.

- The project organization and operations need to reflect a clear and effective chain of command with responsibility, authority, and accountability clearly defined and assigned to individuals within the respective project organizations.

- The functions and responsibilities of all DOE and contractor organizations involved in the project need to be delineated in writing in a single document.

The Board's view of the Hanford MWTF's conceptual design performed to date is that the design does not clearly present and delineate those aspects that ensure that the public health and safety can adequately be protected. In particular, the MWTF appears to be a project (1) without a well-defined mission or functional requirements (e.g., waste treatment or storage), (2) predetermined to consist of four one-million-gallon tanks regardless of their intended uses, and (3) managed without sufficient regard for technical issues and engineering involvement. The continuing phases of the design and construction are about to begin and the Board seeks to be assured that the design of the tanks as they are built incorporates the appropriate levels of nuclear safety. Further, the Board recognizes that many of the nuclear safety concepts and assurances would normally be provided in the series of facility Safety Analysis Reports and would include design bases, safety system analyses, analysis methods and accident analyses. However, to ensure that appropriate nuclear safety characteristics are included in the design efforts, the Board recommends the following to the Secretary of Energy:

1. Establish a plan and methodology that results in a project management organization for the MWTF project team that assures that both DOE and the contractor organization have personnel of the technical and managerial competence to ensure effective project execution. This should emphasize management aspects of the project necessary to ensure adequate protection of public health and safety and should include the integration of professional engineering and quality assurance as necessary into the project, the application of appropriate standards and approved Department of Energy requirements, and the establishment of clear lines of responsibility and accountability.

2. Identify the design bases and engineering principles and approaches for the MWTF project that provide the data and rationale to show that the

design for the MWTF conservatively meets the quantitative safety goals described in the Departments' Nuclear Safety Policy (SEN-35-01). The Board believes that would include items related to standards, identification of safety related items, detailed design bases, functional design criteria, and safety analyses.

John T. Conway,
Chairman.

Appendix—Transmittal Letter to the
Secretary of Energy

July 8, 1992.

The Honorable James H. Watkins,
Secretary of Energy, Washington, DC 20585

Dear Mr. Secretary: On July 1, 1992, the Defense Nuclear Facilities Safety Board, in accordance with 42 U.S.C. 2286a(5), unanimously approved Recommendation 92-4 which is enclosed for your consideration. Recommendation 92-4 deals with the Multi-Function Waste Tank Facility at the Hanford Site.

42 U.S.C. 2286d(a) requires the Board, after receipt by you, to promptly make this recommendation available to the public in the Department of Energy's regional public reading rooms. The Board believes the recommendation contains no information which is classified or otherwise restricted. To the extent this recommendation does not include information restricted by DOE under the Atomic Energy Act of 1954, 42 U.S.C. 2161-68, as amended, please arrange to have this recommendation promptly placed on file in your regional public reading rooms.

The Board will publish this recommendation in the Federal Register.

Sincerely,

John T. Conway,
Chairman.

[FR Doc. 92-16465 Filed 7-13-92; 8:45 am]

BILLING CODE 4820-KD-M